

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	136	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4 or transmi\$6) near15 response same ((time near stamps) or timestamps)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:22
L2	225	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4 or transmi\$6 or receiv\$5) near15 response same ((time near stamps) or timestamps)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:22
L3	0	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4 or transmi\$6 or receiv\$5) near15 response same contacts near15 ((time near stamps) or timestamps)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:22
L4	3	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4 or transmi\$6 or receiv\$5) near15 response same locations near15 ((time near stamps) or timestamps)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:23
L5	77	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4 or transmi\$6 or receiv\$5) near15 response near15 ((time near stamps) or timestamps)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:23
L6	22	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4 or transmi\$6 or receiv\$5) near15 response near15 ((time near stamps) or timestamps) and (mobile or portable or wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:28
L7	12	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4 or transmi\$6 or receiv\$5) near15 locations near15 ((time near stamps) or timestamps) and (mobile or portable or wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:28
S1	21	"20020037723" "20020169887" "20020131395" "20040203763" "20030018704" "20020120760" "20050213545" "20020026527" "20020042277" "20020004821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 12:57

EAST Search History

S2	21	("20020037723" "20020169887" "20020131395" "20040203763" "20030018704" "20020120760" "20050213545" "20020026527" "20020042277" "20020004821") and (@ad<"20020924" or @rlad<"20020924")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 16:48
S3	18	("20020037723" "20020169887" "20020131395" "20040203763" "20030018704" "20020120760" "20050213545" "20020026527" "20020042277" "20020004821") and (@ad<"20020924" or @rlad<"20020924") and regist\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 16:59
S4	9	("20020037723" "20020169887" "20020131395" "20040203763" "20030018704" "20020120760" "20050213545" "20020026527" "20020042277" "20020004821") and (@ad<"20020924" or @rlad<"20020924") and regist\$6 and SIP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 18:06
S5	9	("20020037723" "20020169887" "20020131395" "20040203763" "20030018704" "20020120760" "20050213545" "20020026527" "20020042277" "20020004821") and (@ad<"20020924" or @rlad<"20020924") and regist\$6 and SIP and (mobile or wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 16:58
S6	2	("20020037723" "20020169887" "20020131395" "20040203763" "20030018704" "20020120760" "20050213545" "20020026527" "20020042277" "20020004821") and (@ad<"20020924" or @rlad<"20020924") and regist\$6 and deregist\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 17:03
S7	12	("20020037723" "20020169887" "20020131395" "20040203763" "20030018704" "20020120760" "20050213545" "20020026527" "20020042277" "20020004821") and (@ad<"20020924" or @rlad<"20020924") and regist\$6 same location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 17:11

EAST Search History

S8	2	("20020037723" "20020169887" "20020131395" "20040203763" "20030018704" "20020120760" "20050213545" "20020026527" "20020042277" "20020004821") and (@ad<"20020924" or @rlad<"20020924") and regist\$6 same location and different near10 location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 17:04
S9	7	("20020037723" "20020169887" "20020131395" "20040203763" "20030018704" "20020120760" "20050213545" "20020026527" "20020042277" "20020004821") and (@ad<"20020924" or @rlad<"20020924") and regist\$6 same location and (remov\$4 or updat\$4 or chang\$4) near15 location\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 17:25
S10	7	("20020037723" "20020169887" "20020131395" "20040203763" "20030018704" "20020120760" "20050213545" "20020026527" "20020042277" "20020004821") and (@ad<"20020924" or @rlad<"20020924") and regist\$6 same location and (remov\$4 or updat\$4 or chang\$4) near15 location\$1 not "I12"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 17:12
S11	0	("20020037723" "20020169887" "20020131395" "20040203763" "20030018704" "20020120760" "20050213545" "20020026527" "20020042277" "20020004821") and (@ad<"20020924" or @rlad<"20020924") and regist\$6 same location and (remov\$4 or updat\$4 or chang\$4) near15 location\$1 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 17:12
S12	6106	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 same location and (remov\$4 or updat\$4 or chang\$4) near15 location\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 17:25
S13	359	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 same location and (remov\$4 or updat\$4 or chang\$4) near15 location\$1 and timestamp\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 17:26

EAST Search History

S14	29	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 same location and (remov\$4 or updat\$4 or chang\$4) near15 location\$1 and timestamp\$1 and compar\$4 near10 timestamp\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 17:26
S15	5	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 same location and (remov\$4 or updat\$4 or chang\$4) near15 location\$1 and timestamp\$1 and compar\$4 near10 timestamp\$1 same location\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 17:27
S16	0	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 same (location or contact\$4) and (remov\$4 or updat\$4 or chang\$4) near15 (location\$1 or contact\$4) and compar\$4 near10 timestamp\$1 same recent near10 (location\$1 or contact\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 17:29
S17	5	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 same (location or contact\$4) and (remov\$4 or updat\$4 or chang\$4) near15 (location\$1 or contact\$4) and compar\$4 near10 timestamp\$1 same(location\$1 or contact\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 17:40
S18	179	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 same (location or contact\$4) and (remov\$4 or updat\$4 or chang\$4) near15 (location\$1 or contact\$4) and timestamp\$1 same(location\$1 or contact\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 17:42
S19	6	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 near10 new near10 (location or contact\$4) and (remov\$4 or updat\$4 or chang\$4) near15 (location\$1 or contact\$4) and timestamp\$1 same(location\$1 or contact\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 18:39

EAST Search History

S20	2	("20020037723" "20020169887" "20020131395" "20040203763" "20030018704" "20020120760" "20050213545" "20020026527" "20020042277" "20020004821") and (@ad<"20020924" or @rlad<"20020924") and regist\$6 and timestamp\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 18:06
S21	80	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 near10 (second or new or different or chang\$4) near10 (location or contact\$4) and (remov\$4 or updat\$4 or chang\$4) near15 (location\$1 or contact\$4) and timestamp\$1 same(location\$1 or contact\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 18:40
S22	2	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 near10 (second or new or different or chang\$4) near10 (location or contact\$4) and (remov\$4 or updat\$4 or chang\$4) near15 (location\$1 or contact\$4) and timestamp\$1 same(location\$1 or contact\$1) and sip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 20:08
S23	359	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 near10 sip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 20:09
S24	185	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 near10 sip and sip near5 proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 20:10
S25	43	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 near10 sip and sip near5 proxy and sip near2 "200"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 20:11

EAST Search History

S26	2	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 near10 sip and sip near5 proxy and sip near2 "200" and header near10 "0"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 20:15
S27	43	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 near10 sip and sip near5 proxy and sip near2 "200"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 20:34
S28	34	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 near10 sip and sip near5 proxy and sip near2 "200" and sip near2 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 20:24
S29	5	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 near10 sip and sip near5 proxy and sip near2 "200" and sip near2 registrar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 20:24
S30	20	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 near10 sip and sip near5 (agent or proxy) and sip near2 "200" and regist\$6 near2 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 20:35
S31	16	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 near10 sip and sip near5 (agent or proxy) and sip near2 "200" and sip near2 regist\$6 near2 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 18:00
S32	4	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 near10 sip and sip near5 (agent or proxy) and sip near2 "200" and sip near2 regist\$6 near2 server and member\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 20:46
S33	2	"5727129".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 12:58

EAST Search History

S34	2	"6625647".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 12:59
S35	2	"6760746".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 13:00
S36	2	"6438592".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 17:02
S37	2	"20020131395"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 17:02
S38	1	"20020131395" and regist\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 17:34
S39	2606	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 near10 sip and sip near5 (agent or proxy) and sip near2 "200" and sip near2 regist\$6 near2 server sns "6822957".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 17:35
S40	1	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and regist\$6 near10 sip and sip near5 (agent or proxy) and sip near2 "200" and sip near2 regist\$6 near2 server and "6822957".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 17:36
S41	111	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) same sip near (agent or proxy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 17:37

EAST Search History

S42	7	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) same sip near (agent or proxy) and sip near (agent or proxy) same sip near register\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 17:43
S43	1	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) same sip near (agent) and sip near (agent) same sip near register\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 17:44
S44	1	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and sip near (agent) and sip near (agent) same sip near register\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 17:44
S45	36	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and sip near (agent) and sip near register\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 17:44
S46	19	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and sip near (agent) and sip near register\$6 and sip near2 registrar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 17:58
S47	3	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and sip near ua and sip near register\$6 and sip near2 registrar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 17:58
S48	5	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and sip near register and sip near5 (agent or proxy) and sip near2 "200" and sip near2 registrar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 18:04
S49	2	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and sip near register and sip near5 (agent or proxy) and sip near2 "200" and sip near2 database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 18:06

EAST Search History

S50	22	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and sip near register and sip near5 (agent or proxy) and sip near2 "200" and location\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 19:11
S51	27	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and sip near3 registration and sip near5 (agent or proxy) and sip near2 "200"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 19:18
S52	110	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and sip near3 registration and sip near5 (agent or proxy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 19:18
S53	37	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) near10 registration and sip near3 registration and sip near5 (agent or proxy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:49
S54	29	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) near10 registration and sip near3 registration and sip near5 (agent or proxy) not S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 19:25
S55	1	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) near10 registration and sip near3 registration and sip near5 (agent or proxy) and sip near2 database\$1 not S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 19:48
S56	27	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) near10 registration and sip near3 registration and sip near5 (agent or proxy) and sip near2 server not S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:16
S57	2	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) near10 registration and sip near3 registration and sip near5 (agent or proxy) and sip near2 registration near2 server not S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 19:31

EAST Search History

S58	2	"6662340".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 19:48
S59	1	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) near10 registration and sip near3 registration and sip near5 (agent or proxy) and sip near2 server and register near2 (message\$1 or request\$1) near15 time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:24
S60	0	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) near10 registration and sip near3 registration and register near2 (message\$1 or request\$1) near15 time near5 expir\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:24
S61	7	(@ad<"20020924" or @rlad<"20020924") and register near2 (message\$1 or request\$1) near15 time near5 expir\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:26
S62	738	(@ad<"20020924" or @rlad<"20020924") and register near2 (message\$1 or request\$1) near15 time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:28
S63	3	(@ad<"20020924" or @rlad<"20020924") and sip near register near2 (message\$1 or request\$1) near15 time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:28
S64	0	(@ad<"20020924" or @rlad<"20020924") and sip near register near2 (message\$1 or request\$1) near15 interval\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:28
S65	231	(@ad<"20020924" or @rlad<"20020924") and (send\$4 or sent) near10 register near2 (message\$1 or request\$1) near15 time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:29

EAST Search History

S66	12	(@ad<"20020924" or @rlad<"20020924") and (send\$4 or sent) near10 register near2 (message\$1 or request\$1) near15 time same timer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:31
S67	6	(@ad<"20020924" or @rlad<"20020924") and (send\$4 or sent) near10 register near2 (message\$1 or request\$1) near15 time and sip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:29
S68	1	(@ad<"20020924" or @rlad<"20020924") and (send\$4 or sent) near10 register near2 (message\$1 or request\$1) near15 time same timer and sip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:32
S69	33	(@ad<"20020924" or @rlad<"20020924") and (send\$4 or sent) near10 register near2 (message\$1 or request\$1) near15 timer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:33
S70	7	(@ad<"20020924" or @rlad<"20020924") and (send\$4 or sent) near10 register near2 (message\$1 or request\$1) near15 timer near15 expir\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:34
S71	0	(@ad<"20020924" or @rlad<"20020924") and (send\$4 or sent) near10 register near2 (message\$1 or request\$1) near15 timer near15 expir\$6 and sip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:33
S72	15	(@ad<"20020924" or @rlad<"20020924") and register near2 (message\$1 or request\$1) near15 timer near15 expir\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:36
S73	0	(@ad<"20020924" or @rlad<"20020924") and register near2 (message\$1 or request\$1) near15 timer near15 expir\$6 and sip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:35

EAST Search History

S74	15	(@ad<"20020924" or @rlad<"20020924") and register\$5 near2 (message\$1 or request\$1) near15 timer near15 expir\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:36
S75	502	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4) near10 register\$5 near2 (message\$1 or request\$1) near15 time\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:37
S76	10	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4) near10 register\$5 near2 (message\$1 or request\$1) near15 time\$3 near10 expir\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:38
S77	0	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4) near10 register\$5 near2 (message\$1 or request\$1) near15 timeer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:38
S78	60	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4) near10 register\$5 near2 (message\$1 or request\$1) near15 timer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:38
S79	0	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4) near10 register\$5 near2 (message\$1 or request\$1) near15 timer and sip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:38
S80	1	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4) near10 (second or another) near5 register\$5 near2 (message\$1 or request\$1) near15 timer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/16 21:39
S81	12	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4) near10 (second or another) near5 register\$5 near2 (message\$1 or request\$1) near15 tim\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:19

EAST Search History

S82	2	(@ad<"20020924" or @rlad<"20020924") and (resent or resend\$4 or retransmi\$6) near10 (second or another) near5 register\$5 near2 (message\$1 or request\$1) near15 tim\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:21
S83	115	(@ad<"20020924" or @rlad<"20020924") and (resent or resend\$4 or retransmi\$6) near10 register\$5 near2 (message\$1 or request\$1) near15 tim\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:21
S84	0	(@ad<"20020924" or @rlad<"20020924") and (resent or resend\$4 or retransmi\$6) near10 register\$5 near2 (message\$1 or request\$1) near15 tim\$3 near10 expir\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:21
S85	4	(@ad<"20020924" or @rlad<"20020924") and (resent or resend\$4 or retransmi\$6) near10 register\$5 near2 (message\$1 or request\$1) near15 timer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:23
S86	104	(@ad<"20020924" or @rlad<"20020924") and (resent or resend\$4 or retransmi\$6) near10 register\$5 near2 (message\$1 or request\$1) near15 time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:24
S87	5	(@ad<"20020924" or @rlad<"20020924") and (resent or resend\$4 or retransmi\$6) near10 register\$5 near2 (message\$1 or request\$1) near15 time near10 interval\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:25
S88	12	(@ad<"20020924" or @rlad<"20020924") and (resent or resend\$4 or retransmi\$6) near10 register\$5 near2 (message\$1 or request\$1) near15 time and registration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:27
S89	290	(@ad<"20020924" or @rlad<"20020924") and (send\$4 or transmi\$6 or sent or resent or resend\$4 or retransmi\$6) near10 register\$5 near2 (message\$1 or request\$1) near15 time and registration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:28

EAST Search History

S90	43	(@ad<"20020924" or @rlad<"20020924") and (send\$4 or transmi\$6 or sent or resent or resend\$4 or retransmi\$6) near10 register\$5 near2 (message\$1 or request\$1) near15 timer and registration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:48
S91	136	(@ad<"20020924" or @rlad<"20020924") and (send\$4 or transmi\$6 or sent) same timestamps and registration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:48
S92	0	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) near10 registration and sip near3 registration and sip near5 (agent or proxy) and (send\$4 or transmi\$6 or sent) same timestamps and registration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:49
S93	0	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) near10 registration and sip near3 registration and sip near5 (agent or proxy) and timestamps and registration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:50
S94	10	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) near10 registration and hlr and timestamps and registration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:56
S95	2	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) near10 registration and hlr and response same timestamps and registration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:58
S96	2	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) near10 registration and response same timestamps	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 09:58
S97	1	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) near10 registration and confirm\$6 same timestamps	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 10:02

EAST Search History

S98	2	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) near10 registration and response same timestamps	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 10:02
S99	569259	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and registration and response same timestamps	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 10:02
S100	19	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and registration and response same timestamps	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 10:03
S101	2	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and registration and response same (addresses or locations) same timestamps	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 10:04
S102	16	(@ad<"20020924" or @rlad<"20020924") and response same (addresses or locations) same timestamps	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 10:12
S103	2	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4 or transmi\$6) near15 response same (addresses or locations) same timestamps	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 10:07
S104	2569	(@ad<"20020924" or @rlad<"20020924") and response same (addresses or locations) same times	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 10:12
S105	44	(@ad<"20020924" or @rlad<"20020924") and response same (addresses or locations) same (timestamps or (time near stamps))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 10:13

EAST Search History

S10 6	10	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4 or transmi\$6 or receiv\$5) near15 response same (addresses or locations) same (timestamps or (time near stamps))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 10:24
S10 7	1	"5659596".pn. and (addresses or locations) same (timestamps or (time near stamps))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 10:21
S10 8	106	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4 or transmi\$6 or receiv\$5) near15(addresses or locations) same (timestamps or (time near stamps))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 10:24
S10 9	1	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4 or transmi\$6 or receiv\$5) near15 group near2(addresses or locations) same (timestamps or (time near stamps))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 10:25
S11 0	106	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4 or transmi\$6 or receiv\$5) near15 (addresses or locations) same (timestamps or (time near stamps))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 10:26
S11 1	52	(@ad<"20020924" or @rlad<"20020924") and (mobile or wireless) and (sent or send\$4 or transmi\$6 or receiv\$5) near15 (addresses or locations) same (timestamps or (time near stamps))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 10:33
S11 2	106	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4 or transmi\$6 or receiv\$5) near15 (addresses or locations) same (timestamps or (time near stamps))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:05
S11 3	203	(@ad<"20020924" or @rlad<"20020924") and (deregist\$6 or unregist\$6) same "0"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 10:53

EAST Search History

S11 4	2	(@ad<"20020924" or @rlad<"20020924") and (deregist\$6 or unregist\$6) same expir\$6 near10 "0"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:05
S11 5	225	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4 or transmi\$6 or receiv\$5) near15 response same (timestamps or (time near stamps))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:06
S11 6	77	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4 or transmi\$6 or receiv\$5) near15 response near15 (timestamps or (time near stamps))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:06
S11 7	77	(@ad<"20020924" or @rlad<"20020924") and (sent or send\$4 or transmi\$6 or receiv\$5) near15 response near15 (timestamps or (time near stamps))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:07
S11 8	119	(sent or send\$4 or transmi\$6 or receiv\$5) near15 response near15 (timestamps or (time near stamps))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:07